## **BAM EW-Step Thru Specs:**

Frame Size (Inches) 14"

Miles Per Charge 25-45+ Miles Top Speed 20 MPH Max Torque 40 NM

Motor Type Shengyi Hybrid Direct Drive Hub Motor

Motor Wattage 750 Watts
Battery Type Lithium Ion
Battery Voltage 48 Volts
Battery AH 14 AH
Battery Weight 7.16 LBS

Controller 48 Volt, 750 Watts

Display Type LCD Display

Trip Odometer Yes Odometer Yes

Speedometer Yes (KPH)

Wattmeter Yes

Front Light Type Integrated LED Headlight

Back Light Type Battery Operated LED Running Light

Pedal Assist Type Intelligent 5 Level Pedal Assist with 12 Magnet Cadence Sensor

Throttle Type Twist Throttle with On/Off Button

Wiring Type N/A USB Charging Yes

Front Brake Type Disc Brake
Back Brake Type Disc Brake

Regenerative Braking Yes

Charging Time 5-6 Hours

## **Measuments:**

Assembled Total Length 73"
Assembled Total Width 26"
Assembled Total Height Lowest 43"
Assembled Total Height Highest 45.5"

Package Total Length

Package Total Width
Package Total Height

Folded Length N/A
Folded Width N/A
Folded Height N/A

Wheelbase 45" Stand Over Height 18" 13.5" Handlebar Reach 33.5" Minimum Seat Height 40" Maximum Seat Height Seat Adjustment Range 6.5" 43" Minimum Handlebar Height Maximum Handlebar Height 45.5" 2.5" Handlebar Adjustment Range Seat Tube 15"

Seat Post Diameter 27.2mm (1.07")
Crank Set Diameter 170mm (6.69")
Disc Brake Rotor Size 180mm (7.08")

Tire Width 2.3"
Tire Diameter 26"
Wheel Width 1.5"
Wheel Diameter 22"

## **Bike Features:**

Brake Calipers Tektro Aries Calipers
Brake Levers Tektro Brake Handles

Brake Pad Material Sintered Metal
Brake Rotors Tektro 8I Rotors
Chain KMC Z Chain

Crank Set 48T, 170mm ProWheel Ounce, Dual-Sided Aluminum Bashguard

Derailleur Shimano Atlas Derailleur Fenders Yes (Front and Back) Fork Front Suspension Fork

Frame Type 6061 Aluminum

Freewheel DNP 7-Speed Freewheel, 11-34T

Gearing 1 x 7-Speed

Grips Durable Imitation Leather Ergonomic Grips

Handlebars Custom Forged Aluminum

Headset

Kickstand

Pedals

Racks

Semi-Integrated, 1-1/8" Straight Steerer Tube

Heavy Duty Aluminum with Wide Plastic Foot

Wellgo VB087 Aluminum Pedals with Reflectors

Rear Intergreated, 60LBS Capacity / Front Optional

Wheels (Rims) Weinmann Goliath, Alloy, Double Wall, 36H

Saddle (Seat)

Velo Plush with Lifting Handle

Promax, 340mm x 27.2mm

Seat Post Clamp Quick Release

Shifter Shimano 7 Speed Thumb Shifter

Spokes 12 Gauge, Stainless Steel

Zoom, 60 Degree Angle Adjustment, 100mm Length, 88mm Height

Stem Adjustment Tires Kendra Tires

Front Suspension Front Fork Suspension

Rear Suspension N/A
Wheel Reflectors Yes
Bell Yes
Integrated Rear Rack Yes

Brake Handle Sensors Yes (Left and Right)