



## Model EW-29 Spec Sheet

Weight Capacity  
400Lbs

Speed:  
Up to 15mph Distance: 20 miles per charge (distance varies on terrain, riders weight, road surface, etc.)

Front Seat:  
Type Oversized with back rest

Front seat: Size  
10" x 12" x 9" (LxWxH)

Front Seat:  
32" minimum, 35" maximum

Rear Seat: Type  
N/A

Rear Seat: Size  
N/A

Steering Height  
38" minimum, 38" maximum

Rear Foot Rest:  
N/A

Power: Electric 48 volts

Watts:

500-750 Watt power peaks

Motor Type:

500w Direct-drive hub motor

Amps:

12 AH

Volts:

48 Volts

Dimensions:

67" x 29" x 38" (LxWxH)

Floor Clearance:

6"

Front Basket:

8"x 10" x 7" (LxWxH)

Batteries:

4 - 12 volt 12 amp hour SLA

Forward/Reverse switch:

N/A

High/ Low Speed switch:

N/A

Front tire size:

22" x 1.95"

Rear tire size:

20" x 1.95"

Charger:  
48-volt Smart Charger included

Throttle Type:  
Variable Twist Throttle

Key Start:  
Yes

Braking System:  
Front V brake, rear expansion brake

Drive System:  
500w hub motor

Headlight:  
LED light

Rear lights:  
N/A

Carton Size:  
63" x 36" x 54"

Scooter Weight:  
128lbs

Battery Indicator:  
Yes Front:

Front suspension  
fork

Rear:  
Rear Two Suspension Springs

Reflectors:

Yes

Warranty:  
Limited – 1 Year Warranty