

# FLAGSHIP



## **SHOPRIDER<sup>®</sup>**

The ultra exclusive FLAGSHIP will satisfy those with discriminating taste for only the very best. The FLAGSHIP's stylish canopy enclosure provides comfortable, all season transportation. Sturdy, key locking and removable doors provide security as well as convertibility. The FLAGSHIP also comes standard with a fully operational lighting system, full suspension for a luxurious ride, even a windscreen wiper/washer system with reservoir. Trade in the Rolls-Royce for a Flagship!

FOR ADDITIONAL INFORMATION, PLEASE CALL: **800.743.0772**  
[WWW.SHOPRIDER.COM](http://WWW.SHOPRIDER.COM)



Rear View Mirrors



Windshield wiper & automatic wiper fluid



Safety Handle

## HEAVY DUTY SCOOTER

- 350 lb. weight capacity
- Removable doors on both sides
- Wiper and rear view mirrors are standard equipment
- Genuine warm weather safety windshield automotive
- Front and rear suspension
- Windshield wiper & automatic wiper fluid

# FLAGSHIP



Overall Dimensions (L x W x H)	in	63 x 29 x 64
Number, Size of Tires (front; rear)	Front (rear)	2, 12" (2, 12")
Suggested User Weight (on a level road)	lb	Max. 350
Weight of Heaviest Part (w/o baskets and seat)	lb	106
Total Weight (w/ batteries, basket, seat)	lb	328
Each Battery Module Weight	lb	N/A
Battery Module Capacity	_V_Ah x Pcs	12V36/50/75Ah x 2
Charger		Off Board (3,4 or8)
Output Power of Motor	hp	2
Maximum Speed <sup>2</sup>	mph	7
Max. Climbing Angle/Safe Climbing Angle (based on user weight of 90kg/200lb.)	% (°)	15 (9)
Range (per charge) <small>(After the battery and mechanical moving parts fully break in)</small>	mile	25
Turning Radius	in	70
Ground Clearance	in	N/A
Handle Bar	Type	Delta

All specifications are subject to change without prior notice. Shoprider Mobility Products, Inc. reserves the rights of any changes to the unit.

1) Include the anti-tip wheel or the rear castor.

2) Driver weight may exceed weight of the unit; speed must be reduced when turning.

3) The actual driving range varies with the factors shown as below:

a) The weight of occupant

b) Ground surface

c) Battery capacity and conditions

d) Type of charger

e) Ambient temperature

f) The way of driving

g) If the battery and mechanical moving parts fully break in

h) Etc.